

Table A-1

NUMBER OF INCIDENCE CASES, 2000-2004

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	37,724	25,655	12,069	31,105	21,210	9,895	3,645	2,591	1,054
Esophagus	16,225	12,211	4,014	13,523	10,275	3,248	1,877	1,322	555
Stomach	28,578	17,337	11,241	20,817	12,880	7,937	3,560	2,038	1,522
Colon & Rectum	182,037	92,291	89,746	150,455	76,551	73,904	18,029	8,642	9,387
Colon	131,311	63,661	67,650	108,651	52,800	55,851	13,702	6,396	7,306
Rectum	50,726	28,630	22,096	41,804	23,751	18,053	4,327	2,246	2,081
Liver & IBD ^a	22,077	15,362	6,715	15,266	10,539	4,727	2,433	1,774	659
Pancreas	39,883	19,554	20,329	32,886	16,272	16,614	4,279	1,976	2,303
Larynx	13,225	10,580	2,645	10,800	8,587	2,213	1,892	1,531	361
Lung & Bronchus	225,459	122,851	102,608	190,833	102,306	88,527	22,467	13,287	9,180
Melanoma of the skin	67,273	38,222	29,051	63,543	36,307	27,236	309	145	164
Breast	251,040	1,771	249,269	211,007	1,472	209,535	22,186	220	21,966
Cervix uteri	16,674	-	16,674	12,762	-	12,762	2,235	-	2,235
Corpus & Uterus, NOS	45,346	-	45,346	38,522	-	38,522	3,455	-	3,455
Ovary ^b	26,546	-	26,546	22,789	-	22,789	1,834	-	1,834
Prostate	258,707	258,707	-	207,528	207,528	-	31,294	31,294	-
Testis	10,301	10,301	-	9,498	9,498	-	299	299	-
Urinary bladder	73,919	55,067	18,852	67,096	50,272	16,824	3,528	2,280	1,248
Kidney & Renal pelvis	45,794	28,452	17,342	38,869	24,199	14,670	4,506	2,759	1,747
Brain & ONS ^a	23,509	12,999	10,510	20,698	11,498	9,200	1,485	782	703
Thyroid	31,505	7,579	23,926	26,249	6,506	19,743	1,867	382	1,485
Hodgkin lymphoma	10,117	5,517	4,600	8,555	4,661	3,894	1,000	534	466
Non-Hodgkin lymphoma	69,047	36,883	32,164	59,194	31,576	27,618	4,864	2,672	2,192
Myeloma	19,652	10,622	9,030	15,119	8,342	6,777	3,285	1,662	1,623
Leukemia	44,047	25,147	18,900	37,583	21,542	16,041	3,249	1,777	1,472
Acute lymphocytic	5,917	3,322	2,595	4,948	2,811	2,137	380	196	184
Chronic lymphocytic	13,757	8,198	5,559	12,136	7,251	4,885	855	507	348
Acute myeloid	12,999	7,087	5,912	10,965	6,003	4,962	1,031	536	495
Chronic myeloid	5,451	3,138	2,313	4,512	2,584	1,928	475	274	201
All others	5,923	3,402	2,521	5,022	2,893	2,129	508	264	244
Kaposi Sarcoma	2,529	2,300	229	1,787	1,605	182	541	510	31
Mesothelioma	3,830	2,997	833	3,538	2,786	752	164	122	42
All Sites	1,671,579	862,519	809,060	1,399,022	718,264	680,758	154,249	83,174	71,075

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^b Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A-1

NUMBER OF INCIDENCE CASES, 2000-2004

By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	2,407	1,508	899	146	95	51	2,434	1,675	759
Esophagus	691	508	183	67	53	-	1,007	794	213
Stomach	3,833	2,192	1,641	192	118	74	4,321	2,436	1,885
Colon & Rectum	11,525	6,048	5,477	706	334	372	13,565	7,276	6,289
Colon	7,638	3,815	3,823	491	209	282	9,171	4,687	4,484
Rectum	3,887	2,233	1,654	215	125	90	4,394	2,589	1,805
Liver & IBD ^c	4,020	2,790	1,230	182	130	52	3,583	2,506	1,077
Pancreas	2,409	1,161	1,248	154	72	82	3,394	1,599	1,795
Larynx	409	357	52	33	26	-	945	807	138
Lung & Bronchus	10,707	6,454	4,253	717	383	334	10,724	6,098	4,626
Melanoma of the skin	440	212	228	57	35	22	2,001	813	1,188
Breast	15,243	61	15,182	780	-	778	20,510	91	20,419
Cervix uteri	1,387	-	1,387	81	-	81	3,779	-	3,779
Corpus & Uterus, NOS	2,776	-	2,776	166	-	166	3,876	-	3,876
Ovary ^d	1,644	-	1,644	120	-	120	2,582	-	2,582
Prostate	11,261	11,261	-	505	505	-	20,059	20,059	-
Testis	306	306	-	58	58	-	1,745	1,745	-
Urinary bladder	2,412	1,844	568	117	86	31	3,689	2,694	995
Kidney & Renal pelvis	1,840	1,143	697	279	159	120	4,838	2,905	1,933
Brain & ONS ^c	1,073	571	502	67	36	31	2,856	1,538	1,318
Thyroid	2,872	580	2,292	134	29	105	4,206	788	3,418
Hodgkin lymphoma	417	228	189	22	-	-	1,369	811	558
Non-Hodgkin lymphoma	3,784	2,006	1,778	196	102	94	6,613	3,642	2,971
Myeloma	914	452	462	86	33	53	1,948	1,038	910
Leukemia	2,205	1,239	966	152	77	75	4,980	2,785	2,195
Acute lymphocytic	457	242	215	53	30	23	1,883	1,067	816
Chronic lymphocytic	228	130	98	24	-	-	612	375	237
Acute myeloid	895	487	408	38	18	20	1,427	745	682
Chronic myeloid	336	201	135	22	-	-	559	328	231
All others	289	179	110	-	-	-	499	270	229
Kaposi Sarcoma	69	62	-	-	-	-	540	499	41
Mesothelioma	102	73	29	-	-	-	350	259	91
All Sites	90,627	43,894	46,733	5,497	2,580	2,917	136,822	67,833	68,989

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

- Count not shown due to fewer than 16 cases during the time period.

^a Incidence data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry and Kentucky.

^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

^d Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Table A-3

NUMBER OF DEATHS, 2000-2004

By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	38,533	25,900	12,633	31,787	20,932	10,855	5,466	4,091	1,375
Esophagus	63,344	48,676	14,668	54,248	42,148	12,100	8,050	5,727	2,323
Stomach	61,131	35,665	25,466	46,892	27,558	19,334	10,449	5,976	4,473
Colon & Rectum	280,208	140,055	140,153	239,807	120,320	119,487	34,142	16,421	17,721
Colon	237,534	116,334	121,200	202,792	99,713	103,079	29,648	13,971	15,677
Rectum	42,674	23,721	18,953	37,015	20,607	16,408	4,494	2,450	2,044
Liver & IBD ^a	70,341	44,984	25,357	56,022	35,518	20,504	8,893	5,857	3,036
Pancreas	151,944	74,415	77,529	130,745	64,595	66,150	17,596	8,112	9,484
Larynx	18,839	14,935	3,904	15,193	11,974	3,219	3,402	2,761	641
Lung & Bronchus	785,021	450,375	334,646	689,634	391,587	298,047	81,190	50,301	30,889
Melanoma of the skin	38,245	24,168	14,077	37,449	23,795	13,654	581	256	325
Breast	209,306	1,953	207,353	177,047	1,630	175,417	27,974	299	27,675
Cervix uteri	20,013	-	20,013	15,113	-	15,113	4,068	-	4,068
Corpus & Uterus, NOS	34,110	-	34,110	27,924	-	27,924	5,446	-	5,446
Ovary	72,529	-	72,529	65,133	-	65,133	5,841	-	5,841
Prostate	150,799	150,799	-	123,282	123,282	-	25,465	25,465	-
Testis	1,767	1,767	-	1,599	1,599	-	124	124	-
Urinary bladder	62,367	42,580	19,787	57,093	39,679	17,414	4,496	2,374	2,122
Kidney & Renal pelvis	60,578	37,667	22,911	53,974	33,652	20,322	5,433	3,272	2,161
Brain & ONS ^a	63,824	35,347	28,477	58,746	32,589	26,157	3,870	2,061	1,809
Thyroid	6,770	2,802	3,968	5,918	2,527	3,391	587	189	398
Hodgkin lymphoma	6,585	3,617	2,968	5,829	3,200	2,629	632	351	281
Non-Hodgkin lymphoma	109,357	57,515	51,842	99,857	52,507	47,350	7,124	3,733	3,391
Myeloma	53,653	27,532	26,121	43,784	22,898	20,886	8,948	4,185	4,763
Leukemia	107,590	59,910	47,680	96,434	53,965	42,469	8,966	4,715	4,251
Acute lymphocytic	7,060	4,029	3,031	6,160	3,517	2,643	615	354	261
Chronic lymphocytic	21,970	12,678	9,292	20,074	11,590	8,484	1,760	1,005	755
Acute myeloid	39,416	21,643	17,773	35,420	19,602	15,818	3,049	1,531	1,518
Chronic myeloid	7,215	4,014	3,201	6,188	3,441	2,747	831	452	379
All others	31,929	17,546	14,383	28,592	15,815	12,777	2,711	1,373	1,338
All Sites	2,774,874	1,436,709	1,338,165	2,401,801	1,241,893	1,159,908	311,879	162,999	148,880

Source: NCHS public use data file for the total US.

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.

Table A-3

NUMBER OF DEATHS, 2000-2004

By Primary Cancer Site, Race and Sex
United States

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	1,084	742	342	129	89	40	1,531	1,124	407
Esophagus	797	607	190	179	139	40	2,054	1,603	451
Stomach	3,385	1,898	1,487	336	191	145	6,083	3,479	2,604
Colon & Rectum	5,201	2,741	2,460	783	414	369	11,588	6,274	5,314
Colon	4,243	2,201	2,042	629	327	302	9,707	5,143	4,564
Rectum	958	540	418	154	87	67	1,881	1,131	750
Liver & IBD ^c	4,877	3,265	1,612	400	239	161	6,850	4,482	2,368
Pancreas	3,069	1,452	1,617	357	166	191	6,977	3,449	3,528
Larynx	162	139	23	54	41	-	823	730	93
Lung & Bronchus	11,382	6,941	4,441	1,872	1,014	858	19,787	12,826	6,961
Melanoma of the skin	155	82	73	47	29	18	730	416	314
Breast	3,562	21	3,541	467	-	466	8,979	70	8,909
Cervix uteri	674	-	674	129	-	129	2,052	-	2,052
Corpus & Uterus, NOS	632	-	632	77	-	77	1,576	-	1,576
Ovary	1,290	-	1,290	199	-	199	3,126	-	3,126
Prostate	1,584	1,584	-	323	323	-	5,910	5,910	-
Testis	31	31	-	-	-	-	232	232	-
Urinary bladder	655	452	203	79	50	29	1,813	1,205	608
Kidney & Renal pelvis	752	476	276	325	205	120	3,317	2,149	1,168
Brain & ONS ^c	1,004	578	426	134	76	58	3,223	1,766	1,457
Thyroid	236	76	160	24	-	17	504	198	306
Hodgkin lymphoma	102	55	47	16	-	-	476	289	187
Non-Hodgkin lymphoma	2,011	1,084	927	266	138	128	5,204	2,853	2,351
Myeloma	687	341	346	176	85	91	2,600	1,345	1,255
Leukemia	1,815	1,030	785	261	142	119	5,542	3,150	2,392
Acute lymphocitic	220	119	101	46	30	16	1,217	712	505
Chronic lymphocitic	92	62	30	27	-	-	392	236	156
Acute myeloid	806	441	365	98	44	54	1,923	1,063	860
Chronic myeloid	164	101	63	24	-	-	466	280	186
All others	533	307	226	66	38	28	1,544	859	685
All Sites	50,404	26,303	24,101	7,623	3,836	3,787	114,968	60,707	54,261

Source: NCHS public use data file for the total US.

- Count not shown due to fewer than 16 cases during the time period.

^a Mortality data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Mortality data for Hispanics are based on NHIA and exclude cases from Minnesota, New Hampshire and North Dakota.

^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.